$\Delta = COM$

ADDENDUM NO. <u>1</u> TO THE BID DOCUMENTS FOR

Town of Inuvik Cheif Jim Koe Park

Date: July 10, 2018

1. PRECEDENCE


This Addendum forms an integral part of the Bid Documents and is to be read in conjunction therewith. Where there are direct conflicts between this Addendum and the Bid Documents, this Addendum shall take precedence.


2. RECEIPT OF THIS ADDENDUM

Complete Clause 15, Part II - Bid Form, acknowledging receipt of this Addendum and that the Bidder has considered the contents in the preparation of the Bid.

3. AMENDMENTS

- (1) Revise closing date of Tender from Tuesday July 17, 2018 to Friday July 20, 2018 at 2:00pm.
- (2) Replace Drawing 'C-1000 Site utilities servicing plan and details dated June 15, 2018' with 'C-1000 Site utilities servicing plan and details – dated July 5, 2018 – Stamped and signed' in the Drawings.
- (3) Replace 'Schedule of Quantities June 11, 2018' with 'Schedule of Quantities (Revised) July 12, 2018
- 4. Clarifications to contractor questions:
 - Construction Sign Will the Town of Inuvik supply this sign and how do they want it installed?
 Contractor to supply Contractor to provide template / shop drawing for approval from Town.
 - 2. Rough Grading Will the existing material onsite be used for the rough grading? If yes, Is there an allowance to supply or remove additional fill if needed?
 - 1. Rough grading for common excavation and hauling has been added to the revised Bid Schedule.
 - 3. Top Soil Top soil is not available in town other than from the Town of Inuvik Can we buy the screened top soil from the Town of Inuvik or is it supplied by the Town of Inuvik screened?
 - 1. Topsoil supplied by the town, contractor to screen to meet design and specifications, load and haul from source to site.
 - 4. Baseball Field Backstop There are 3 size options of the backstop in the drawings What size will the Town of Inuvik be using?
 - 1. Dimension A = 30' (9.14m), Dimension B = 20' (6.096m) Height = 16' (4.87m)
 - 5. Trash Receptacle supply & Install We know the Town of Inuvik have these containers Will the Town of Inuvik be supplying these?
 - 1. Contractor to supply and install.
 - Dust Control How does the Town of Inuvik plan on paying for dust control Lump sum?
 Incidental to line item #24 in schedule 'A' of the Bid Document.







PROJECT

Chief Jim Koe Park

Inuvik, Northwest Territories

CLIENT

Town of Inuvik

2 Firth Street, Box 1160 Inuvik, Northwest Territories X0E 0T0 867.777.8600 tel 867.777.8601 fax www.inuvik.ca

CONSULTANT

AECOM Canada Ltd. 101, 18817 - Stony Plain Road NW Edmonton, Alberta T5S 0C2 780.486.7000 tel 780.486.7070 fax www.aecom.com

REGISTRATION



Engineers and Geoscientists

ISSUE/REVISION

1	18/07/05	ISSUED FOR CONSTRUCTION
В	18/06/15	ISSUED FOR TENDER
А	18/05/09	ISSUED FOR REVIEW
I/R	DATE	DESCRIPTION

KEY PLAN

PROJECT NUMBER

60547247

SHEET TITLE

SITE UTILITIES SERVICING PLAN AND DETAILS

SHEET NUMBER

C-1000

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT COST	AMOUNT	
1.0	Schedule A - Sports fields - grading, turf and sports field amenities Initial mobilization and de-mobilization	l.s.	1.0		\$	-
2.0	Project construction, sign 1.2m x 4m Town of Inuvik and Consultant (AECOM)	each	1.0		э \$	-
3.0	Survey - AECOM to provide initial survey and CAD files to contractor. Contractor responsible for any	I.s.	1.0		\$	-
	additional surveys as required					
4.0	Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove	I.s.	1.0		\$	
	and store as per Towns direction.		0.000.0			
5.0 6.0	Rough grading - Common excavation Rough grading - Loading and hauling of material (supply of fill or removal of excess material) - Provisional	m3 m3	2,000.0 250.0		\$ \$	
0.0	Item	1115	250.0		Φ	
7.0	Miscellaneous earthwork, including but not limited to, ensuring drainage patterns remain during	m3	3,500.0		\$	
	construction, ensuring all earthworks at tie-ins to existing infrastructure are handled. Ensure all sports		-,			
	fields, trails and parking lots are graded as per construction drawings					
8.0	Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap	each	3.0		\$	
9.0	Multi-flow pipe - swale between existing ball diamond and proposed ball diamond complete with trenching,	l.m.	70.0		\$	
	drainage sand and connection to culvert / site drainage					
0.0	Supply and install heat trace for multi flow pipe, contractor to provide irrigation valve box for connection to heat trace, in order for the town to hook a generator up to it in the spring for thawing purposes.	l.m.	70.0		\$	
0.0						
12.0	Turf areas - Ball Diamond (total 4450m2-shale area 2075m2) a) Supply, load, haul and install off-site topsoil, 150mm depth for hydro-seed areas (measured in cubic	cu.m.	835.0		\$	
	metres, allowed for 25% compaction rate. 4450m2 @.15m depth)	ou.m.	000.0		Ψ	
	b) Supply and install seed via hydro seeding	m²	4,450.0		\$	
3.0	Turf areas - Soccer Pitch (total 4150m2)		,			
	a) Supply, load, haul and install off-site topsoil, 150mm depth for sod and seed areas (measured in cubic	cu.m.	780.0		\$	
	metres, allowed for 25% compaction rate. 4150m2 @.15m depth)					
	b) Supply and install seed via hydro seeding	m²	4,150.0		\$	
1.0	Turf areas - adjacent landscape area outside of sports field areas(Total 8875m2)					
	a) Supply, load, haul and install off-site topsoil, 150mm depth for sod and seed areas (measured in cubic metros, allowed for 25% compaction rate, 8975m2 @ 15m depth)	cu.m.	1,665.0		\$	
	metres, allowed for 25% compaction rate. 8875m2 @.15m depth)					
	b) Supply and install seed via hydro seeding	m²	8,875.0		\$	
5.0	Baseball infield and warning track shale 100mm depth (2072m2, plus 25% compaction)	cu.m.	259.0		\$	
6.0 7.0	Supply and install baseball field fencing Supply and install baseball outfield gates	l.m. each	325.0 1.0		\$ \$	
3.0 3.0	Supply and install baseball field backstop	each	1.0		ъ \$	
9.0	Supply and install baseball dugouts	each	2.0		\$	
0.0	Supply and install players bench - baseball dugout	each	6.0		\$	
1.0	Supply and install trash receptacle - dugout - Haul-All receptacle (Garbage and Recycle)	each	4.0		\$	
2.0	Supply and install goal posts (removable)	each	2.0		\$	
3.0	Construction fence and snow fence (Site perimeter and protection of existing items)	l.m.	1,100.0		\$	
1.0	Silt fence and general erosion control	l.m.	750.0		\$	
			407.0		\$	
5.0	Fencing - post and rail	l.m.				
5.0 6.0	Bollards - T-bollards (2 arms in each direction)	each	2.0		\$	
5.0 6.0 7.0						
5.0 6.0 7.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year	each each month	2.0 6.0 12.0	rf and sports field amenities	\$ \$ \$	
5.0 6.0 7.0 8.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year	each each month	2.0 6.0 12.0	10% Contingency	\$ \$ \$ \$ \$	
5.0 6.0 7.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher	each each month dule A - Sports fi	2.0 6.0 12.0 ields - grading, tu	10% Contingency GST	\$ \$ \$ \$ \$	
5.0 6.0 7.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher Grand Total Scher	each each month dule A - Sports fi dule A - Sports fi	2.0 6.0 12.0 ields - grading, tu	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$	
5.0 6.0 7.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher Control Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and part Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove	each each month dule A - Sports fi dule A - Sports fi	2.0 6.0 12.0 ields - grading, tu	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$	
5.0 6.0 7.0 8.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher Grand Total Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and part	each each month dule A - Sports fi dule A - Sports fi k area includi	2.0 6.0 12.0 ields - grading, tu ields - grading, tu	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 6.0 7.0 8.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Grand Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and part Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction.	each each month dule A - Sports fi dule A - Sports fi k area includi	2.0 6.0 12.0 ields - grading, tu ields - grading, tu	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 3.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Grand Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury,	each each month dule A - Sports fi dule A - Sports fi <u>dule A - Sports fi</u> L.s.	2.0 6.0 12.0 Ields - grading, tu ields - grading, tu ng all addition 1.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 3.0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Grand Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and part Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction.	each each month dule A - Sports fi dule A - Sports fi k area includi	2.0 6.0 12.0 ields - grading, tu ields - grading, tu	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 3.0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building	each each month dule A - Sports fi dule A - Sports fi k area includi l.s.	2.0 6.0 12.0 ields - grading, tu ields - grading, tu ng all addition 1.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 3.0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Grand Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary)	each each month dule A - Sports fi dule A - Sports fi k area includi I.s. Is each	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4*	each each month dule A - Sports fi dule A - Sports fi k area includi I.s. Is each each	2.0 6.0 12.0 elds - grading, tu ng all addition 1.0 1.0 2.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 6.0 7.0 8.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Carant Total Schee Revolution Control Contro	each each month dule A - Sports fr dule A - Sports fr k area includi I.s. Is each each m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 1.0 2.0 2.025.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 6.0 7.0 8.0 2.0 4.0 6.0 6.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards.	each each month dule A - Sports fi k area includi I.s. Is each each m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1,650.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 6.0 7.0 8.0 .0 8.0 8.0 6.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Apshalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4*	each each month dule A - Sports fr dule A - Sports fr k area includi I.s. Is each each m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 1.0 2.0 2.025.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4 [*] (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4 [*] (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based	each each month dule A - Sports fi k area includi I.s. Is each each m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1,650.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession facility building Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 2.0 m wide - supply and install 25mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards.	each each month dule A - Sports fi <u>k area includi</u> 1.s. Is each each m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4 [*] (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4 [*] (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based	each each month dule A - Sports fi k area includi I.s. Is each each m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1,650.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 325mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 255mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 255mm depth 20mm Dia Crush, in lifts no greater than 4*	each each month dule A - Sports fi <u>k area includi</u> 1.s. Is each each m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 5.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Sche PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 75mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking areas - excavate to 300mm depth. Load haul and remove all excess material.	each each month dule A - Sports fr <u>k area includi</u> l.s. is each each each m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0 185.0 1,175.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 5.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 300mm depth. Load haul and remove all excess material. Asphalt parking area - excavate to 300mm depth. Load haul and remove all excess material. Parking areas - excavate to 300mm depth. Load haul and remove all excess material. Parking areas - excavate to 300mm depth. Load haul and remove all excess material.	each each month dule A - Sports fi dule A - Sports fi k area includi 1.s. Is each each each m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ields - grading, tu ng all addition 1.0 1.0 2.02 2.025.0 1,650.0 190.0 185.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 5.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install 30mm culvert (approx. 6m length) - complete with rip-rap Trail areas - execuate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based	each each month dule A - Sports fr <u>k area includi</u> l.s. is each each each m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0 185.0 1,175.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 30mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt parking area - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - excavate to 300mm depth. Load haul and remove all excess material. Asphalt trail - 1.5 m wide - Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install	each each month dule A - Sports fi <u>k area includi</u> I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 25mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - sexcavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - excavate to 300mm depth. Load haul and remove all excess material. Concrete walkway - excavate to	each each month dule A - Sports fr <u>k area includi</u> l.s. is each each each m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0 185.0 1,175.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 8.0 7.0 8.0 7.0 8.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 30mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt parking area - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - excavate to 300mm depth. Load haul and remove all excess material. Asphalt trail - 1.5 m wide - Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install	each each month dule A - Sports fi <u>k area includi</u> l.s. ls each each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1.175.0 1.175.0 705.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 8.0 7.0 8.0 7.0 8.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Scher PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install 30mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking areas - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Concrete walkway - excavate to 300mm depth. Load haul and remove all excess material. Turf areas - landscape area within stage area (Total 6250m2)	each each month dule A - Sports fi <u>k area includi</u> I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 8.0 7.0 8.0 7.0 8.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 25mm depth asphalt, compacted as required based on municipal standards. Concrete walkway - excavate to 3	each each month dule A - Sports fr <u>k area includi</u> I.s. Is each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1,650.0 190.0 185.0 1,175.0 1,175.0 1,171.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail- 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 25mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking areas - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, com	each each month dule A - Sports fi <u>k area includi</u> 1.s. Is each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,171.0 6,250.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Control Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm colvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. C	each each month dule A - Sports fr k area includi I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,175.0 1,171.0 6.250.0 210.0	10% Contingency GST rf and sports field amenities	s s s s s s s s s s s s s s s s s s s	
5.0 5.0 5.0 7.0 5.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Bollards Grand Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 2000 mm clipeth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, c	each each month dule A - Sports fr k area includi I.s. Is each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1,650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,171.0 6,250.0 2,10.0 1.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 5.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Control Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm colvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. C	each each month dule A - Sports fr k area includi I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,175.0 1,171.0 6.250.0 210.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ and shelter area. \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install washroom / concession facility building Supply and install 300mm culvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking areas - excavate to 300mm depth. Load haul and remove all excess material. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm),	each each month dule A - Sports fi k area includi 1.s. Is each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,171.0 6,250.0 210.0 1.0 1.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 5.0 7.0 3.0 7.0 3.0 7.0 3.0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Control Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm depth. Load, haul and remove all excess material Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5° (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Concrete walkway - excavate to 300mm depth. Load haul and remove all excess material. <td< td=""><td>each each month dule A - Sports fr k area includi I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2</td><td>2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 1.650.0 1.175.0 1.175.0 1.175.0 1.175.0 1.171.0 6.250.0 210.0 1.0 4 8 4.0</td><td>10% Contingency GST rf and sports field amenities</td><td>\$ \$ \$ \$ \$ \$ \$ \$ \$</td><td></td></td<>	each each month dule A - Sports fr k area includi I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 1.650.0 1.175.0 1.175.0 1.175.0 1.175.0 1.171.0 6.250.0 210.0 1.0 4 8 4.0	10% Contingency GST rf and sports field amenities	\$ \$ \$ \$ \$ \$ \$ \$ \$	
5.0 5.0 5.0 7.0 3.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Browne State Browne State	each each month dule A - Sports fr k area includi I.s. Is each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,175.0 1,175.0 1,175.0 1,175.0 1,175.0 1,171.0 6,250.0 210.0 1.0 1.0 4 8 4.0 4.0	10% Contingency GST rf and sports field amenities	S S <t< td=""><td></td></t<>	
5.0 5.0 5.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Bollards Grand Total Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and parl Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install mashroom / concession facility building Supply and install and the prox. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 2.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt parking area - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking area - supply	each each month dule A - Sports fr k area includi 1.s. Is each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,176.0 1,171.0 6,250.0 210.0 1.0 1.0 4,8 4,0 4,0 4,0	10% Contingency GST rf and sports field amenities	S S <t< td=""><td></td></t<>	
5.0 5.0 5.0 7.0 3.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Control Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm colvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking areas - excavate to 300mm depth. Load haul and remove all excess material. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply an	each each month dule A - Sports fr k area includi I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,10 4,250.0 2,200.0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,	10% Contingency GST ff and sports field amenities al amenities for stage a	s s s s s s s s s s s s s s s s s s s	
5.0 5.0 5.0 7.0 3.0 .0 .0 .0 .0 .0 .0 .0 .0 .0	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Control Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm colvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking areas - excavate to 300mm depth. Load haul and remove all excess material. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply an	each each month dule A - Sports fr k area includi I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,10 4,250.0 2,200.0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,	10% Contingency GST ff and sports field amenities al amenities for stage a ding all additional amenities	s s s s s s s s s s s s s s s s s s s	
	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty / maintenance period (all soft landscape) 6 months growing season per year Total Schee Control Schee PROVISIONAL ITEMS - Schedule B - Trails, walkway, washroom facilities and pari Removals and Relocations - Relocation of bleachers and misc trash receptacles. Contractor to remove and store as per Towns direction. Servicing for washroom / concession building - Service connection to utilidor c/w seasonal shallow bury, connection to building and low pressure grinder pump. (25mm HDPE water, 50mm HDPE Sanitary) Supply and install washroom / concession facility building Supply and install 300mm colvert (approx. 6m length) - complete with rip-rap Trail areas - excavate to 300mm depth. Load, haul and remove all excess material Asphalt trail - 3.0 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 4* (100mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply and install 75mm depth asphalt, compacted as required based on municipal standards. Parking areas - excavate to 300mm depth. Load haul and remove all excess material. Asphalt trail - 1.5 m wide - supply and install 225mm depth 20mm Dia Crush, in lifts no greater than 5* (125mm), compacted to 98%SPD. Supply an	each each month dule A - Sports fr k area includi I.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ing all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,10 4,250.0 2,200.0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,	10% Contingency GST ff and sports field amenities al amenities for stage a al amenities for stage a ding all additional amenities 10% Contingency	S S <t< td=""><td></td></t<>	
	Bollards - T-bollards (2 arms in each direction) Wooden Bollards Two year warranty/maintenance period (all soft landscape) 6 months growing season per year Total Scher Part Control 2	each each month dule A - Sports fi k area includi 1.s. Is each each each m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2 m2	2.0 6.0 12.0 ields - grading, tu ng all addition 1.0 1.0 2.025.0 1.650.0 190.0 185.0 1,175.0 1,175.0 1,175.0 1,175.0 1,176.0 210.0 2,025.0 1,176.0 1,176.0 2,025.0 1,176.0 2,025.0 1,176.0 2,025.0 2,0	10% Contingency GST ff and sports field amenities al amenities for stage a ding all additional amenities	S S <t< td=""><td></td></t<>	

FEM NO.	DESCRIPTION	UNIT OF MEASURE QUANTITY		UNIT COST	AMOUNT		
	PROVISIONAL ITEMS - Schedule C - Planting and mulch						
1.0	Trees	1	1 1		1		
	a) Balsam Poplar - 60mm caliper	each	63		\$		
	b) White Spruce - 2500mm height	each	27		\$		
	c) Trembling Aspen- 60mm caliper	each	12		\$		
	d) Trembling Aspen - 40mm caliper	each	45		\$		
2.0	Shrubs						
	a) Willow - #5 container (Confirm acceptable species prior to planting)	each	750		\$		
	b) Mountain Alder - #5 container	each	550		\$		
1.0 1.0	Mulch - 100 mm depth - all planting beds, including shrub beds, tree beds, and individual trees) Transplanted trees	m²	1,550		\$		
	a) Deciduous (Prices not extended to totals, as this is an option)	each	120		\$		
	b) Coniferous (Prices not extended to totals, as this is an option)	each	27		\$		
	c) Shrubs (Prices not extended to totals, as this is an option)	each	1,300		\$		
			Total Sched	lule C - Planting and mulc	h \$		
				10% Contingenc			
				GS			
			Grand Total Sched	lule C - Planting and mulc			
	Crand Table 2	ala alula Asaranta (ialda anadina (ud	i and an arts field amonitis			
Grand Total - Schedule A - sports fields - grading, turf and sports field amenities Grand Total Schedule B - Stage area including all additional amenities - PROVISIONAL							
Grand Total Schedule 5 - Stage area including an additional amenices - PROVISIONAL Grand Total - Schedule C - Planting and mulch - PROVISIONAL							
_		orana Total - Oci	iouulo o Thanting	Grand Total Schedule A			
_		0	Frand Total Schodu	Ile B and C - PROVISIONA			

Any estimates or opinions regarding probable construction costs provided by AECOM Canada Ltd. (AECOM) represent AECOM's professional judgement in light of its experience and the knowledge and information available to it at the time of preparation. Since AECOM has no control over market or economic conditions, prices for construction labour, equipment or materials or bidding procedures, AECOM, its directors, officers, and employees are not able to, nor do they, make any representations, warranties or guarantees whatsoever, whether express or implied, with respect to such estimates or opinions, or their variance from actual construction costs, and accept no responsibility for any loss or damage arising there from or in any way related thereto. Persons relying on such estimates or opinions do so at their own risk. Except as required by law, any report containing such estimates or opinions regarding probable construction costs is for the private and sole use of the Client and is to be treated as confidential by the Client, its directors, officers and employees and is not to be made available to others without the prior written consent of AECOM.

Backstop – Complete With 4 foot Overhang Normal sizes in combination of: By Quotation Custom designed backstops н Complete ball field fencing 16' (4.87m) 30' (9.14m) 20' (6.09m) Material only or professionally installed .